


















GIMA SPHYGMOMANOMETRAI





Eil. Nr.	Aprašymas
1.	<p>32720 YTON ANEROID SPHYGMOMANOMETER - black cuff</p>  <p>Economic sphygmomanometers with nylon cuff with velcro closure, reliable manometer with clip to be fixed on the cuff. Scale 0-300 mm Hg. Air release at closed tap max 4 mm Hg/minute. Manual setting of deflation possible up to 2/3 mm Hg. From 260 mm Hg to 15 mm Hg max deflation time 10 sec. Scale graduated every 2 mm Hg. Floating zero (the pointer has no stop point but swings freely), nylon velcro cuff, latex bulb with chromium plated valve. Chromium-plated air tap with air release regulation by screw valve. Supplied with a simulated-leather soft pouch with zip in a carton box. Available in 3 versions: standard, latex free, or with incorporated stethoscopes.</p>
2.	<p>32704 YTON ANEROID SPHYGMO - latex free - blue cuff</p>  <p>Economic sphygmomanometers with nylon cuff with velcro closure, reliable manometer with clip to be fixed on the cuff. Scale 0-300 mm Hg. Air release at closed tap max 4 mm Hg/minute. Manual setting of deflation possible up to 2/3 mm Hg. From 260 mm Hg to 15 mm Hg max deflation time 10 sec. Scale graduated every 2 mm Hg. Floating zero (the pointer has no stop point but swings freely), nylon velcro cuff, latex bulb with chromium plated valve. Chromium-plated air tap with air release regulation by screw valve. Supplied with a simulated-leather soft pouch with zip in a carton box. Available in 3 versions: standard, latex free, or with incorporated stethoscopes.</p> <ul style="list-style-type: none"> • LATEX FREE • BLUE CUFF
3.	<p>32703 YTON ANEROID SPHYGMO - with incorporated - stethoscope - black cuff</p>  <p>Economic sphygmomanometers with nylon cuff with velcro closure, reliable manometer with clip to be fixed on the cuff. Scale 0-300 mm Hg. Air release at closed tap max 4 mm Hg/minute. Manual setting of deflation possible up to 2/3 mm Hg. From 260 mm Hg to 15 mm Hg max deflation time 10 sec. Scale graduated every 2 mm Hg. Floating zero (the pointer has no stop point but swings freely), nylon velcro cuff, latex bulb with chromium plated valve. Chromium-plated air tap with air release regulation by screw valve. Supplied with a simulated-leather soft pouch with zip in a carton box. Available in 3 versions: standard, latex free, or with incorporated stethoscopes.</p>
4.	<p>32701 YTON MANOMETER – spare Spare for YTON sphygmomanometers.</p>



5.	<p>32722 YTON DIGITAL SPHYGMO</p>  <p>Semi-automatic digital sphygmomanometer with manual inflation and automatic deflation through manual valve. Light: only 50 g, one third of a normal blood pressure monitor. A large 9 digits LCD display shows systolic/diastolic/pulse rate simultaneously, and store 90 memories.</p> <p>Range: 40-260 mmHg Pulse: 40-160/minute Power supply: 1 x AAA battery</p>
6.	<p>32724 BERLIN SPHYGMO – adult</p>  <p>High quality sphygmomanometer with gauge mounted on cuff:</p> <ul style="list-style-type: none"> - High reliable manometer with extra large dial Ø 65 mm - Top quality and resistant linen cuff with simulated leather support and velcro closure - Extra large PVC bulb, 9x5 cm, latex free <p>Made in Italy - German manometer. Technical Specifications</p> <ul style="list-style-type: none"> • TOP QUALITY • Extra large bulb 9 x 5 cm • Extra large dial Ø 65 mm • Quality linen cuff
7.	<p>32723 NEW EXACTOPHON SPHYGMO - pull-on strap cuff</p>  <p>GIMA quality and reliability in a stilish and long-life sphygmomanometer. EXACTOPHON has a reliable manometer fixed on a simulated leather support, on a highly resistant linen pull-on straps cuff. Supplied in a nice carrying case and box. Made in Italy: GIMA.</p> <p>8. 32805 EXACTOPHON BLADDER – spare Spare for code 32723.</p> <p>9. 32806 EXACTOPHON CUFF Product sold up to the end of stock.</p>

10.	<p>32719 NEW GIMATONO - latex free</p>  <p>Durable and reliable sphygmo with chrome-plated manometer fixed on the cuff, provided of a rubber protective ring. Nylon cuff with simulated-leather support. Two tubes adult size latex free bladder, with standard latex free bulb. Supplied in nylon bag and carton box. Made in P.R.C.</p>
11.	<p>32712 GIMA SHOCK PROOF SPHYGMOMANOMETER</p>  <p>New concept aneroid sphygmomanometer with gauge which rotates 360° for easy viewing, and snaps directly into the cuff for quick replacement. Light-weight and latex-free. Durable one-piece cuff washable, disinfectable in liquid disinfectant, ideal to prevent cross contaminations. Adjustable gauge for perfect calibration any time (special screwdriver is supplied with the manometer).</p>
12.	<p>32714 MINOR 2 SPHYGMO - 2 tubes - black nylon velcro cuff</p>  <p>High quality sphygmomanometer with traditional design and modern features.</p> <ul style="list-style-type: none"> - High precision manometer, adjustable by turning a screwdriver, for perfect calibration any time - 2 tubes system for quick inflation - Available with washable coated fabric velcro cuff or cotton hook cuff <p>Technical Specifications</p> <ul style="list-style-type: none"> • Adjustable gauge for perfect calibration
13.	<p>32713 MINOR 2 SPHYGMO - 2 tubes - green cotton hook cuff</p>  <p>High quality sphygmomanometer with traditional design and modern features.</p> <ul style="list-style-type: none"> - High precision manometer, adjustable by turning a screwdriver, for perfect calibration any time - 2 tubes system for quick inflation - Available with washable coated fabric velcro cuff or cotton hook cuff <p>Technical Specifications</p> <ul style="list-style-type: none"> • Adjustable gauge for perfect calibration

14.	32729 SIRIO SPHYGMOMANOMETER  <p>Classic sphygmomanometer with fabric cuff with velcro closure (green/grey colour). Reliable large dial manometer for easy readings, fixed on bulb. Scale 0-300 mm Hg, graduated every 2 mm Hg. Supplied in carrying case and box, with 4 languages user manual (English, Spanish, French, Italian).</p>
15.	32705 SIRIO PEDIATRIC KIT - with 3 pediatric cuffs  <p>Sirio with 3 pediatric cuffs: minicuff (32812) 4 months - 3years, minicuff (32813) 3-7 years, minicuff (32814) 7-10 years in a nylon bag.</p>
16.	27177 MULTICUFF BAG - 3 pediatric cuffs Sirio pediatric bag, empty.
17.	32706 SIRIO KIT 3 - with 3 cuffs (ped, adult and adult L)  <p>Sirio with 3 one piece cuffs: child (32910), adult (32911) and adult large (32912) in a nylon bag.</p>
18.	27178 MULTICUFF BAG - 3 cuffs Sirio bag 3, empty.
19.	32707 SIRIO KIT 5 - with 5 cuffs  <p>Sirio with 5 cuffs: infant cuff (32886), child cuff (32888), adult cuff (32830), adult large cuff (32834) thigh cuff (32837) in a nylon bag.</p>
20.	27179 MULTICUFF BAG - 5 cuffs Sirio bag 5, empty.

21.	32725 LONDON SPHYGMOMANOMETER – black  <p>Professional, stylish, reliable and lightweight sphygmomanometer with ABS manometer, integral bulb, high quality precision mechanism, velcro closure calibrated nylon cuff and one tube bladder Dial Ø 55 mm, with specially designed eye-catching colour printing and easy to read.</p>
22.	32726 LONDON SPHYGMOMANOMETER – red  <p>Professional, stylish, reliable and lightweight sphygmomanometer with ABS manometer, integral bulb, high quality precision mechanism, velcro closure calibrated nylon cuff and one tube bladder Dial Ø 55 mm, with specially designed eye-catching colour printing and easy to read.</p>
23.	32735 TOKYO AUTOMATIC SPHYGMOMANOMETER  <p>Professional sphygmomanometer with large Ø 65 mm dial and button type air release valve. ABS light plastic case, and extra shock-proof ring for long durability. 360° degree rotary handle. Supplied with black nylon calibrated cuff with D-ring, black 1-tube PVC, latex free bladder and black PVC, latex free bulb in a nylon carrying bag and carton box.</p> <p>Technical Specifications</p> <ul style="list-style-type: none"> • Press the botton, rapid deflation • Screw the botton, gradual deflation
24.	32727 ROME SPHYGMOMANOMETER – blue  <p>Classic, lightweight, reliable palm model aneroid sphygmo with certified manometer ABS housing, integral</p>

	bulb and air release valve for one-hand use, provided with handle, blue nylon, velcro closure, calibrated cuff and 1 tube bladder. Easy to read: large dial Ø 65 mm, with rubber protective ring. Supplied in a nice nylon carrying bag with external velcro pocket and carton box.
25.	32734 ROMA SPHYGMOMANOMETER - 2 tubes  <p>Classic, lightweight, reliable palm model aneroid sphygmo with certified manometer ABS housing, integral bulb and air release valve for one-hand use, provided with handle, blue nylon, velcro closure, calibrated cuff and 1 tube bladder. Easy to read: large dial Ø 65 mm, with rubber protective ring. Supplied in a nice nylon carrying bag with external velcro pocket and carton box.</p>
26.	32709 ROMA PAEDIATRIC SPHYGMOMANOMETER  <p>Classic, lightweight, reliable palm model aneroid sphygmo with certified manometer ABS housing, integral bulb and air release valve for one-hand use, provided with handle, blue nylon, velcro closure, calibrated cuff and 1 tube bladder. Easy to read: large dial Ø 65 mm, with rubber protective ring. Supplied in a nice nylon carrying bag with external velcro pocket and carton box.</p>
27.	32728 ROME SPHYGMOMANOMETER - blue – fluorescent  <p>Classic, lightweight, reliable palm model aneroid sphygmo with certified manometer ABS housing, integral bulb and air release valve for one-hand use, provided with handle, blue nylon, velcro closure, calibrated cuff and 1 tube bladder. Easy to read: large dial Ø 65 mm, with rubber protective ring. Supplied in a nice nylon carrying bag with external velcro pocket and carton box. With a special fluorescent dialplate to allow easy reading even in dark places. This feature make Roma sphygmomanometer indicated for emergency applications.</p>
28.	32856 ROMA PVC RIBBED BULB PVC ribbed bulb for Roma sphygmomanometer.
29.	32857 ROMA PVC PROTECTIVE RING PVC Protective Ring.
30.	32738 ROMA KIT - Sphygmo with 3 cuffs  <p>Same as code 32727 but supplied with 3 cuffs: one pediatric (35 x 11 cm), one adult (49 x 15 cm) and one adult</p>

	large (62 x 17,5 cm)
31.	<p>32740 ROMA COMBO KIT - blue cuff</p>  <p>Practical kit with all necessary instrument for a basic diagnostic. It includes in a nylon bag the following items:</p> <ul style="list-style-type: none"> - Roma sphygmomanometer code 32727 - Rappaport type double head double tube stethoscope code 32601 (without clock) - Alfa pen light code 25626 - Nurse utility scissors code 34128 - Name Tag for stethoscope - Tape measure <p>All products are colour coordinated in blue. Other colours or different components available for quantities</p>
32.	<p>32737 HEINE G5® SPHYGMOMANOMETER - with carryng bag – M-000.09.230</p>  <p>With the new latex free G5® and G7® Heine, GIMA offers an aneroid sphygmomanometer of the highest quality of design and function with unequalled value for money. A modern, functional design combined with exceptional precision of measurement and durability make Heine G5® and G7® ideal for long-term use in clinic and practice environments.</p> <ul style="list-style-type: none"> - Latex-free - Exceptionally-strong housing construction with triple-mounted, shockproof movement. - Impact-resistant housings crafted in special, shock-absorbing materials incorporate the latest advances in injection-moulding technology. - A microfilter protects the valve and movement. - Oversized inflator speeds up cuff inflation. <p>Made in Germany. 5 years warranty.</p>
33.	<p>32741 HEINE G5® SPHYGMOMANOMETER - without carryng bag – M-000.09.561</p> <p>With the new latex free G5® and G7® Heine, GIMA offers an aneroid sphygmomanometer of the highest quality of design and function with unequalled value for money. A modern, functional design combined with exceptional precision of measurement and durability make Heine G5® and G7® ideal for long-term use in clinic and practice environments.</p> <ul style="list-style-type: none"> - Latex-free - Exceptionally-strong housing construction with triple-mounted, shockproof movement. - Impact-resistant housings crafted in special, shock-absorbing materials incorporate the latest advances in injection-moulding technology. - A microfilter protects the valve and movement. - Oversized inflator speeds up cuff inflation. <p>Made in Germany. 5 years warranty.</p>

34.

32739 HEINE G7® SPHYGMOMANOMETER - with carrying bag – M-000.09.232

With the new latex free G5® and G7® Heine, GIMA offers an aneroid sphygmomanometer of the highest quality of design and function with unequalled value for money. A modern, functional design combined with exceptional precision of measurement and durability make Heine G5® and G7® ideal for long-term use in clinic and practice environments.

- Latex-free
- Exceptionally-strong housing construction with triple-mounted, shockproof movement.
- Impact-resistant housings crafted in special, shock-absorbing materials incorporate the latest advances in injection-moulding technology.
- A microfilter protects the valve and movement.
- Oversized inflator speeds up cuff inflation.

Made in Germany. 5 years warranty.

Standard accessories

- Supplied with high quality HEINE carrying bag

35.

32731 BOSTON SPHYGMOMANOMETER

Strong durable and elegant palm model aneroid metal zincalloy manometer with integral bulb and air release valve for one hand use, provided with a special left and right hand adjustable handle, black nylon velcro closure calibrated cuff and 1 tube bladder. Easy to read: large dial Ø 65 mm. Unique push button air release valve offers precise mini-deflation. Supplied in a nice nylon carrying bag and box.

36.





32700 WELCH ALLYN DURA SHOCK DS55 SPHYGMOMANOMETER





Welch Allyn's DS55 sphygmomanometer incorporating shock-resistant DuraShock technology offers practical benefits compared to traditional aneroid sphygmomanometers. This is especially beneficial in busy medical environments where equipment needs to be as robust as possible. With DuraShock Technology, Welch Allyn B.P. gauges:




- Remain in calibration longer than traditional aneroid B.P. gauges, providing you with more accurate readings.
- Do not need to be replaced as often as traditional aneroid B.P. gauges, giving you a lower lifetime cost.
- Have the only gauge capable of passing AAMI's shock-resistant specification of surviving a 76 cm drop onto a hard surface and remaining in calibration.




How DuraShock technology works


In traditional aneroid sphygmomanometer design, several delicate gears and springs convert and amplify vertical movement of the pinion to rotational movement to turn the pointer. The DuraShock gear-free design uses a single helix spring to directly convert the vertical movement of the pinion to rotation of the pointer without the use of a multi-step gear arrangement. By creating a gear-




	<p>free design, the Welch Allyn Durashock has fewer moving parts providing a gauge which is shock resistant and lighter than traditional gauges. Until now, a dropped sphygmomanometer required recalibration or replacement. The DuraShock can fall 76 cm onto a hard surface and still remain accurate. It is the only gauge capable of meeting the AAMI Shock Resistant specification.</p>
37.	<p>32691 BLACK KOBOLD - with gray cuff – 223.20493</p>  <p>Elegant and compact, single tube sphygmomanometer for frequent use in clinic and consulting room. Precision manometer, anodised aluminium Ø 48 mm. Sensitively adjustable air reduction valve, high quality chrome finish. Scale: 300 mmHg, 2 mm scale division. New technology with air intake via the manometer capsule in the specially tempered copper-beryllium membrane. Codes 32693, 32695, 32696 are latex free. Made in Germany.</p>
38.	<p>32695 KOBOLD PEDIATRIC SET – 227.71.393</p>  <p>Elegant and compact, single tube sphygmomanometer for frequent use in clinic and consulting room. Precision manometer, anodised aluminium Ø 48 mm. Sensitively adjustable air reduction valve, high quality chrome finish. Scale: 300 mmHg, 2 mm scale division. New technology with air intake via the manometer capsule in the specially tempered copper-beryllium membrane. Codes 32693, 32695, 32696 are latex free. Made in Germany.</p>
39.	<p>32696 GREY KOBOLD SET - with 6 velcro nylon cuff – 227.71.195</p>  <p>Elegant and compact, single tube sphygmomanometer for frequent use in clinic and consulting room. Precision manometer, anodised aluminium Ø 48 mm. Sensitively adjustable air reduction valve, high quality chrome finish. Scale: 300 mmHg, 2 mm scale division. New technology with air intake via the manometer capsule in the specially tempered copper-beryllium membrane. Latex Free. Made in Germany.</p>
40.	<p>32688 ERKA PERFECT ANEROID – 201.204.82</p>  <p>Sphygmomanometer with screw valve for sensitive adjustments velcro cuff and case.</p> <ul style="list-style-type: none"> - Dial Ø 48 mm - Manometer housing brass chromed plated - Membrane-protecting 2-tube technology - Measuring accuracy over total range: ± 3 mmHg

	<p>Made in germany. 3 years warranty.</p>
41.	<p>32698 ERKA SWITCH 2.0 CONFORT ANEROID SPHYGMOMANOMETER – 293.204.93</p>  <p>It offers outstanding ergonomics and simple adaptation for left and righthandle users. It is manufactured from shock-resistant polycarbonate and has passed the shock test according to AAMI SP9. The sight glass is chemically stable and unbreakable. The brass valve screw works smoothly and is adjustable to exact settings. Measuring range 0-300 mmHg $\pm 1\%$. Supplied with pouch. Made in Germany. 4 year warranty hand held, 2 year manometer.</p>
42.	<p>32697 ERKA SWITCH SIMPLEX - dial Ø 56 mm - 2 tubes – 294.408.94</p>  <p>It is manufactured from shock-resistant polycarbonate and has passed the shock test according to AAMI SP9. The sight glass is chemically stable and unbreakable. The brass valve screw works smoothly and is adjustable to exact settings. Measuring range 0-300 mmHg $\pm 1\%$. Black velcro cuff. Supplied with pouch. Made in Germany. 4 year warranty hand held, 2 year manometer.</p>
43.	<p>32686 SANAPHON SPHYGMOMANOMETER</p>  <p>A classic palm-style latex-free sphygmomanometer for precise selfmeasurement including stethoscope. Sanaphon® guarantees exact measurement values even for patients with heart rhythm disturbances.</p>
44.	<p>32687 E-MEGA SPHYGMOMANOMETER</p>  <p>With disinfectable latex free one-piece cuff.</p>

	<ul style="list-style-type: none"> - Fast inflation of the cuff due to new ergonomic spoon design - Lifelong precision due to almost non-aging precision movement, with specially tempered copper-beryllium diaphragm for pressure-loading capacity up to 600 mmHg - Comfort - Air release valve, wearfree, with fine adjustment - High-polished manometer surface, easy to disinfect - Quadrant large Ø 63 mm - Shock protecting polycarbonate case
45.	<p>32716 RIESTER R1 SHOCK PROOF SPHYGMO</p>  <p>Exact precision that lasts a lifetime. Made in Germany.</p> <ul style="list-style-type: none"> - Shock-proof up to a falling height of 120 cm - Scale: Ø 52 mm black with red fluorescent pointer - Valve base and air duct with metal precision valve - Two component ABS casing - Metal Threaded tube connection at the top of the casing for fast cuff exchange and ergonomical operation - Maximum error tolerance of +/- 2 mm Hg - Weight: 173g
46.	<p>32715 RIESTER RI-SAN® SPHYGMO</p>  <p>High quality palm-style sphygmomanometer with ergonomic design. Air release valve conveniently regulated by finger-tip control.</p> <ul style="list-style-type: none"> - Calibrated nylon cuff with velcro - Latex-free bulb for pumping up the cuff - Tube connection at the top of pressure gauge for unhindered blood pressure measurement - Microfilter protects air release valve and measuring system - Specially tempered copper-beryllium diaphragm almost non-aging - The precision movement guarantees reliable measurement - Diaphragm can be pressurized up to 600 mmHg <p>Technical Specifications</p> <ul style="list-style-type: none"> • Easily readable scale Ø 64, from 0 to 300 mmHg, ± 3 mmHg • Precision air release valve with fine adjustment and wear-free • Suitable for right or left handed users
47.	<p>32717 RIESTER PRECISA® N SPHYGMO</p> 

	<p>A typical Riester quality product. In metal with aluminium housing and single tube-plug-in connection.</p> <ul style="list-style-type: none"> - Calibrated nylon cuff with velcro. - Latex bulb for pumping up the cuff - Metal valve base - Ergonomic spoon-shaped grip of stainless steel - Single-tube connection - Precision air release valve with fine adjustment and wear-free - Microfilter protects air release valve and measuring system - Specially tempered copper-beryllium diaphragm, with precision movement and almost non-aging - Diaphragm pressure-loading capacity up to 600 mm Hg <p>Technical Specifications</p> <ul style="list-style-type: none"> • Easily readable aluminum scale from 0 to 300 mmHg • Precision air release valve with fine adjustment and wear-free
48.	<p>32711 RIESTER MINIMUS® II SPHYGMO</p>  <p>MINIMUS® is a reliable, durable and elegant palm model aneroid chrome-plated manometer with integral bulb and air release valve for one hand use, provided with a stainless steel handle, Luer Lock connection, calibrated black nylon cotton velcro closure cuff and 1 tube bladder. Supplied in a nice carrying case and box.</p>
49.	<p>32671 ERKA VARIO ANEROID SPHYGMOMANOMETER – desk</p>  <p>Superior quality product, made in Germany, for use in consulting rooms or hospital. The vario basic model consist of a high precision manometer in a high quality ABS housing with an integrated fastening spigot for individual variable swivelling, a big cuff basket in white powder coated sheet steel, a bulb holder and spiral tubing with bulb and air release valve. This high quality chromium-plated valve makes sensitive adjustments easy. The 150 mm scale is equipped with a mirrored exterior ring and non-reflective manometer glass.</p> <p>Technical Specifications</p> <ul style="list-style-type: none"> • Height with basket: 260 mm • Width with basket: 180 mm • Depth with basket: 120 mm • Graduation: 0-300 mmHg \pm 3 mmHg • Weight with basket: 1350 g • Height of trolley: 830-1360 mm (réglables) • Tubing system Ø: 18-25 mm • Swivel range: up to 60 deg°
50.	<p>32672 ERKA VARIO ANEROID SPHYGMOMANOMETER – wall</p>  <p>Superior quality product, made in Germany, for use in consulting rooms or hospital. The vario basic model</p>

	<p>consist of a high precision manometer in a high quality ABS housing with an integrated fastening spigot for individual variable swivelling, a big cuff basket in white powder coated sheet steel, a bulb holder and spiral tubing with bulb and air release valve. This high quality chromium-plated valve makes sensitive adjustments easy. The 150 mm scale is equipped with a mirrored exterior ring and non-reflective manometer glass.</p> <p>Technical Specifications</p> <ul style="list-style-type: none"> • Height with basket: 260 mm • Width with basket: 180 mm • Depth with basket: 120 mm • Graduation: 0-300 mmHg \pm 3 mmHg • Weight with basket: 1350 g • Height of trolley: 830-1360 mm (réglables) • Tubing system Ø: 18-25 mm • Swivel range: up to 60 deg°
51.	<p>32673 ERKA VARIO ANEROID SPHYGMOMANOMETER – trolley</p>  <p>Superior quality product, made in Germany, for use in consulting rooms or hospital. The vario basic model consist of a high precision manometer in a high quality ABS housing with an integrated fastening spigot for individual variable swivelling, a big cuff basket in white powder coated sheet steel, a bulb holder and spiral tubing with bulb and air release valve. This high quality chromium-plated valve makes sensitive adjustments easy. The 150 mm scale is equipped with a mirrored exterior ring and non-reflective manometer glass.</p> <p>Technical Specifications</p> <ul style="list-style-type: none"> • Height with basket: 260 mm • Width with basket: 180 mm • Depth with basket: 120 mm • Graduation: 0-300 mmHg \pm 3 mmHg • Weight with basket: 1350 g • Height of trolley: 830-1360 mm (réglables) • Tubing system Ø: 18-25 mm • Swivel range: up to 60 deg°
52.	<p>32898 ERKA SUPERB GREEN CUFF 2 TUBES - pediatric - for ERKA Vario</p> <p>All ERKA Green cuff products are PVC and latex-free, every one is individually tested prior to delivery and guaranteed for 50.000 inflation cycles. They are equipped with clearly marked size and positioning features for the most accurate possible measurements. The soft, easy to disinfect, biocompatible materials ensure maximum patient comfort. Conform to ANSI/AAMI SP10 standard.</p>
53.	<p>32899 ERKA SUPERB GREEN CUFF 2 TUBES - adult - for ERKA Vario</p> <p>All ERKA Green cuff products are PVC and latex-free, every one is individually tested prior to delivery and guaranteed for 50.000 inflation cycles. They are equipped with clearly marked size and positioning features for the most accurate possible measurements. The soft, easy to disinfect, biocompatible materials ensure maximum patient comfort. Conform to ANSI/AAMI SP10 standard.</p>
54.	<p>32900 ERKA SUPERB GREEN CUFF 2 TUBES - adult L - for ERKA Vario</p> <p>All ERKA Green cuff products are PVC and latex-free, every one is individually tested prior to delivery and guaranteed for 50.000 inflation cycles. They are equipped with clearly marked size and positioning features for the most accurate possible measurements. The soft, easy to disinfect, biocompatible materials ensure maximum patient comfort. Conform to ANSI/AAMI SP10 standard.</p>
55.	<p>32742 RIESTER® BIG BEN SPHYGMOMANOMETER – rail</p> <p>Aneroid sphygmomanometer, made of resistant plastic, with large dial (147 mm) and white pointer on black dial plate for easy-to-read measurements from 0 mm Hg to 300 mm Hg. Basket on back for cuff storage after use. Velcro-closure black cuff 2 tubes, and long coil tubing. Quality product: made in Germany</p> <p>Technical Specifications</p>

	<ul style="list-style-type: none"> • (clamp code 32766 and rail not included)
56.	<p>32743 RIESTER® BIG BEN SPHYGMOMANOMETER – wall</p> <p>Aneroid sphygmomanometer, made of resistant plastic, with large dial (147 mm) and white pointer on black dial plate for easy-to-read measurements from 0 mm Hg to 300 mm Hg. Basket on back for cuff storage after use. Velcro-closure black cuff 2 tubes, and long coil tubing. Quality product: made in Germany</p> <p>Technical Specifications</p> <ul style="list-style-type: none"> • Rotation 130°, 65° right, 65° left
57.	<p>32746 RIESTER® BIG BEN SPHYGMOMANOMETER - trolley Ø 38 cm</p>  <p>Aneroid sphygmomanometer, made of resistant plastic, with large dial (147 mm) and white pointer on black dial plate for easy-to-read measurements from 0 mmHg to 300 mmHg. Basket on back for cuff storage after use. Velcro-closure black cuff 2 tubes, and long coil tubing. Latex free. Quality product: made in Germany.</p>
58.	<p>32766 RAIL CLAMP (for codes 32742 and 32762)</p>  <p>Universal clamp (for code 32742) for any rail.</p>
59.	<p>32745 DAYTON SPHYGMO – desk</p>  <p>Provided with big dial (Ø 113 mm) for easy reading. Basket with handle easy to move and carry. Nylon cuff with D ring. Wall fixing.</p> <p>Technical Specifications</p> <ul style="list-style-type: none"> • Size: 130 x 130 x 135 mm • Weight: 180g • Measuring range: 0-300 mmHg ± 3 mmHg • Large basket with handle for cuff • PVC bladder and bulb • Latex Free

60. 32749 DALLAS SPHYGMOMANOMETER – wall



Provided with click-open compartment for cuff storage, rotation 90° for easy reading.

All DALLAS sphygmomanometers are provided with extra large dial plate (Ø 150 mm) for easy reading, black nylon calibrated cuff and quality inflation system. Scale 0-300 mmHg.

Technical Specifications

- Plastic storage basket
- Large dial Ø 15 cm

61. 32747 DALLAS SPHYGMOMANOMETER - trolley model



Provided with stainless steel trolley adjustable in height, with 5 castors.

All DALLAS sphygmomanometers are provided with extra large dial plate (Ø 150 mm) for easy reading, black nylon calibrated cuff and quality inflation system. Scale 0-300 mmHg.

Technical Specifications

- 5 castors S/S trolley

62. 32800 GREEN MERCURY-FREE SPHYGMOMANOMETER





A new technology of LCD display mercury-free sphygmomanometers alternative to the mercury column.

With precise results and support to global environment saving pollution.

Manual inflation and air release. Not suitable for pediatric use.

Technical Specifications

- Size: 360 x 96 x 66 mm

	<ul style="list-style-type: none"> • Measuring range: 20-280 mmHg • Accuracy: Pressure: ± 3 mmHg • Power supply: battery
63.	<p>32801 GREEN MERCURY-FREE SPHYGMOMANOMETER – trolley</p>  <p>A new technology of LCD display mercury-free sphygmomanometers alternative to the mercury column. With precise results and support to global environment saving pollution. Manual inflation and air release</p> <p>Technical Specifications</p> <ul style="list-style-type: none"> • Size: 360 x 96 x 66 mm (32800) • Measuring range: 0-300 mmHg • Accuracy: Pressure: ± 3 mmHg • Power supply: battery
64.	<p>32758 UM-101 MERCURY FREE SPHYGMOMANOMETER</p>  <p>A new highly advanced digital blood pressure monitor alternative to the mercury column.</p> <ul style="list-style-type: none"> - Auscultatory blood pressure measurement without mercury - Pressure level marker button for useful reminders - Digital readout for pulse rate - Adjustable display column for easier analysis of results <p>Made in Japan.</p> <p>Technical Specifications</p> <ul style="list-style-type: none"> • Range Numerical Display: <ul style="list-style-type: none"> - pressure 0-300 mm Hg ± 3 mm Hg, - pulse 30-200 beats/minute $\pm 5\%$ • Range pressure bar display: <ul style="list-style-type: none"> - pressure 20-280 mm Hg ± 4 mm Hg • Power supply: <ul style="list-style-type: none"> - 2 x 1.5V alkaline batteries