GIMA VEŽIMĖLIAI PRIETAISAMS


 27885 PRO CART - 2 shelves Professional cart with base, 2 shelves and 2 power columns. Castors Ø 80 mm (2 with brake) Technical Specifications Load capacity: total load 240 kg shelf 35 kg Base: 60.8 x 50 cm Shelves: 2 shelves 50 x 50 cm + base Material: vertical extrusions in aluminium plastic parts in ABS Made in Italiy 2. 27886 PRO CART - 2 shelves with insulation transformer Professional cart with base, 2 shelves and 2 power columns. Supplied with insulation transformer 800VA. Castors Ø 80 mm (2 with brake) Technical Specifications Load capacity: total load 240 kg shelf 35 kg Base: 60.8 x 50 cm Shelves: 2 shelves 50 x 50 cm + base Material: vertical extrusions in aluminium plastic parts in ABS 3. 	
 Professional cart with base, 2 shelves and 2 power columns. Castors Ø 80 mm (2 with brake) Technical Specifications Load capacity: total load 240 kg shelf 35 kg Base: 60.8 x 50 cm Shelves: 2 shelves 50 x 50 cm + base Material: vertical extrusions in aluminium plastic parts in ABS Made in Italiy 2. 27886 PRO CART - 2 shelves with insulation transformer Professional cart with base, 2 shelves and 2 power columns. Supplied with insulation transformer 800VA. Castors Ø 80 mm (2 with brake) Technical Specifications Load capacity: total load 240 kg shelf 35 kg Base: 60.8 x 50 cm Shelves: 2 shelves 50 x 50 cm + base Material: vertical extrusions in aluminium plastic parts in ABS 3. 	
Castors Ø 80 mm (2 with brake) Technical Specifications • Load capacity: • total load 240 kg • shelf 35 kg • Base: 60.8 x 50 cm • Shelves: 2 shelves 50 x 50 cm + base • Material: • vertical extrusions in aluminium - plastic parts in ABS • Made in Italiy 2. 27886 PRO CART - 2 shelves with insulation transformer Professional cart with base, 2 shelves and 2 power columns. Supplied with insulation transformer 800VA. Castors Ø 80 mm (2 with brake) Technical Specifications • Load capacity: • total load 240 kg • shelf 35 kg • Base: 60.8 x 50 cm • Shelves: 2 shelves 50 x 50 cm + base • Material: • vertical extrusions in aluminium • plastic parts in ABS • Made in Italiy 3.	
Technical Specifications • Load capacity: • total load 240 kg • shelf 35 kg • Base: 60.8 x 50 cm • Shelves: 2 shelves 50 x 50 cm + base • Material: • vertical extrusions in aluminium • plastic parts in ABS • Made in Italiy 2. 27886 PRO CART - 2 shelves with insulation transformer Professional cart with base, 2 shelves and 2 power columns. Supplied with insulation transformer 800VA. Castors Ø 80 mm (2 with brake) Technical Specifications • Load capacity: • total load 240 kg • shelf 35 kg • Base: 60.8 x 50 cm • Shelves: 2 shelves 50 x 50 cm + base • Material: • vertical extrusions in aluminium • plastic parts in ABS • Material: • vertical extrusions in aluminium • plastic parts in ABS • Made in Italiy 3.	
 Load capacity: total load 240 kg shelf 35 kg Base: 60.8 x 50 cm Shelves: 2 shelves 50 x 50 cm + base Material: vertical extrusions in aluminium plastic parts in ABS Made in Italiy 2. 27886 PRO CART - 2 shelves with insulation transformer Professional cart with base, 2 shelves and 2 power columns. Supplied with insulation transformer 800VA. Castors Ø 80 mm (2 with brake) Technical Specifications Load capacity: total load 240 kg shelf 35 kg Base: 60.8 x 50 cm Shelves: 2 shelves 50 x 50 cm + base Material: vertical extrusions in aluminium plastic parts in ABS Made in Italiy 3. 	
 total load 240 kg shelf 35 kg Base: 60.8 x 50 cm Shelves: 2 shelves 50 x 50 cm + base Material: vertical extrusions in aluminium plastic parts in ABS Made in Italiy 2. 27886 PRO CART - 2 shelves with insulation transformer Professional cart with base, 2 shelves and 2 power columns. Supplied with insulation transformer 800VA. Castors Ø 80 mm (2 with brake) Technical Specifications Load capacity: total load 240 kg shelf 35 kg Base: 60.8 x 50 cm Shelves: 2 shelves 50 x 50 cm + base Material: vertical extrusions in aluminium plastic parts in ABS Made in Italiy 3.	
 shelf 35 kg Base: 60.8 x 50 cm Shelves: 2 shelves 50 x 50 cm + base Material: vertical extrusions in aluminium plastic parts in ABS Made in Italiy 2. 27886 PRO CART - 2 shelves with insulation transformer Professional cart with base, 2 shelves and 2 power columns. Supplied with insulation transformer 800VA. Castors Ø 80 mm (2 with brake) Technical Specifications Load capacity: total load 240 kg shelf 35 kg Base: 60.8 x 50 cm Shelves: 2 shelves 50 x 50 cm + base Material: vertical extrusions in aluminium plastic parts in ABS Made in Italiy 3. 	
 Base: 60.8 x 50 cm Shelves: 2 shelves 50 x 50 cm + base Material: vertical extrusions in aluminium plastic parts in ABS Made in Italiy 2. 27886 PRO CART - 2 shelves with insulation transformer Professional cart with base, 2 shelves and 2 power columns. Supplied with insulation transformer 800VA. Castors Ø 80 mm (2 with brake) Technical Specifications Load capacity: total load 240 kg shelf 35 kg Base: 60.8 x 50 cm Shelves: 2 shelves 50 x 50 cm + base Material: vertical extrusions in aluminium plastic parts in ABS 3. 	
 Shelves: 2 shelves 50 x 50 cm + base Material: vertical extrusions in aluminium plastic parts in ABS Made in Italiy 2. 27886 PRO CART - 2 shelves with insulation transformer Professional cart with base, 2 shelves and 2 power columns. Supplied with insulation transformer 800VA. Castors Ø 80 mm (2 with brake) Technical Specifications Load capacity: total load 240 kg shelf 35 kg Base: 60.8 x 50 cm Shelves: 2 shelves 50 x 50 cm + base Material: vertical extrusions in aluminium plastic parts in ABS Made in Italiy 3. 	
 Material: vertical extrusions in aluminium plastic parts in ABS Made in Italiy 2. 27886 PRO CART - 2 shelves with insulation transformer Professional cart with base, 2 shelves and 2 power columns. Supplied with insulation transformer 800VA. Castors Ø 80 mm (2 with brake) Technical Specifications Load capacity: total load 240 kg shelf 35 kg Base: 60.8 x 50 cm Shelves: 2 shelves 50 x 50 cm + base Material: vertical extrusions in aluminium plastic parts in ABS Made in Italiy 3. 	
 - vertical extrusions in aluminium plastic parts in ABS Made in Italiy 2. 27886 PRO CART - 2 shelves with insulation transformer Professional cart with base, 2 shelves and 2 power columns. Supplied with insulation transformer 800VA. Castors Ø 80 mm (2 with brake) Technical Specifications Load capacity: total load 240 kg shelf 35 kg Base: 60.8 x 50 cm Shelves: 2 shelves 50 x 50 cm + base Material: vertical extrusions in aluminium plastic parts in ABS Made in Italiy 3. 	
 plastic parts in ABS Made in Italiy 2. 27886 PRO CART - 2 shelves with insulation transformer Professional cart with base, 2 shelves and 2 power columns. Supplied with insulation transformer 800VA. Castors Ø 80 mm (2 with brake) Technical Specifications Load capacity: total load 240 kg shelf 35 kg Base: 60.8 x 50 cm Shelves: 2 shelves 50 x 50 cm + base Material: vertical extrusions in aluminium plastic parts in ABS Made in Italiy 3. 	
 Made in Italiy 2. 27886 PRO CART - 2 shelves with insulation transformer Professional cart with base, 2 shelves and 2 power columns. Supplied with insulation transformer 800VA. Castors Ø 80 mm (2 with brake) Technical Specifications Load capacity: total load 240 kg shelf 35 kg Base: 60.8 x 50 cm Shelves: 2 shelves 50 x 50 cm + base Material: vertical extrusions in aluminium plastic parts in ABS Made in Italiy 3. 	
 Professional cart with base, 2 shelves and 2 power columns. Supplied with insulation transformer 800VA. Castors Ø 80 mm (2 with brake) Technical Specifications Load capacity: total load 240 kg shelf 35 kg Base: 60.8 x 50 cm Shelves: 2 shelves 50 x 50 cm + base Material: vertical extrusions in aluminium plastic parts in ABS Made in Italiy 3. 	
 Supplied with insulation transformer 800VA. Castors Ø 80 mm (2 with brake) Technical Specifications Load capacity: total load 240 kg shelf 35 kg Base: 60.8 x 50 cm Shelves: 2 shelves 50 x 50 cm + base Material: vertical extrusions in aluminium plastic parts in ABS Made in Italiy 3. 	
Castors Ø 80 mm (2 with brake) Technical Specifications • Load capacity: • total load 240 kg • shelf 35 kg • Base: 60.8 x 50 cm • Shelves: 2 shelves 50 x 50 cm + base • Material: • vertical extrusions in aluminium • plastic parts in ABS • Made in Italiy 3.	
Technical Specifications • Load capacity: • total load 240 kg • shelf 35 kg • Base: 60.8 x 50 cm • Shelves: 2 shelves 50 x 50 cm + base • Material: • vertical extrusions in aluminium • plastic parts in ABS • Made in Italiy	
 Load capacity: total load 240 kg shelf 35 kg Base: 60.8 x 50 cm Shelves: 2 shelves 50 x 50 cm + base Material: vertical extrusions in aluminium plastic parts in ABS Made in Italiy 3.	
 total load 240 kg shelf 35 kg Base: 60.8 x 50 cm Shelves: 2 shelves 50 x 50 cm + base Material: vertical extrusions in aluminium plastic parts in ABS Made in Italiy 3.	
 shelf 35 kg Base: 60.8 x 50 cm Shelves: 2 shelves 50 x 50 cm + base Material: vertical extrusions in aluminium plastic parts in ABS Made in Italiy 3. 	
 Base: 60.8 x 50 cm Shelves: 2 shelves 50 x 50 cm + base Material: vertical extrusions in aluminium plastic parts in ABS Made in Italiy 3. 	
 Shelves: 2 shelves 50 x 50 cm + base Material: vertical extrusions in aluminium plastic parts in ABS Made in Italiy 3. 	
Material: - vertical extrusions in aluminium - plastic parts in ABS • Made in Italiy 3.	
- vertical extrusions in aluminium - plastic parts in ABS • Made in Italiy 3.	
- plastic parts in ABS • Made in Italiy 3.	
• Made in Italiy 3.	
27887 PRO CART - 2 shelves, keyboard, monitor support	
Professional cart with base, 4 shelves and 2 power columns.	
Supplied with keyboard and monitor support.	
Castors Ø 80 mm (2 with brake)	
Technical Specifications	
Load capacity: total load 240 kg	
- total load 240 kg - shelf 35 kg	
• Base: 60.8 x 50 cm	
• Shelves: 2 shelves 50 x 50 cm + base	

	• Material:
	- vertical extrusions in aluminium
	- plastic parts in ABS
	Made in Italiy
4.	27890
	PRO CART - 4 shelves
	Professional cart with base, 4 shelves and 2 power columns.
	Castors Ø 80 mm (2 with brake)
	Castors & so min (2 with blake)
	Technical Specifications
	• Load capacity:
	- total load 240 kg
1	- shelf 35 kg
	• Base: 60.8 x 50 cm
	• Shelves: 4 shelves 50 x 50 cm + base
	• Material:
	- vertical extrusions in aluminium
	- plastic parts in ABS
	• Made in Italiy
5.	27892 PRO CART - 4 shelves with insulation transformer
5.	
	Professional cart with base, 4 shelves and 2 power columns.
	Supplied with insulation transformer 1600VA.
	Castors Ø 80 mm (2 with brake)
	Technical Specifications
	Load capacity:
	- total load 240 kg
	- shelf 35 kg
	• Base: 60.8 x 50 cm
	• Shelves: 4 shelves 50 x 50 cm + base
	• Material:
	- vertical extrusions in aluminium
	- plastic parts in ABS
	• Made in Italiy
(
6.	f /*
	2205
	22477
	8
	27893 PRO CART - 4 shelves, keyboard, monitor support, drawer
	Professional cart with base, 4 shelves and 2 power columns.
	Supplied with keyboard and monitor support.
	Castors Ø 80 mm (2 with brake)
	Technical Specifications
	• Load capacity:
	- total load 240 kg
	- shelf 35 kg
	• Base: 60.8 x 50 cm
	• Shelves: 4 shelves 50 x 50 cm + base
	• Material:
	- vertical extrusions in aluminium
	- plastic parts in ABS
	Made in Italiy

7.	PRIEDAI
	27873 BASKET (for codes 27869/71/80/97) Accessories for carts. Basket.
8.	
	27874 INFUSION STAND (for codes 27869/71/80/97)
9.	 27876 ARM (for codes 27885-93) Carts accessories. ECG arm: 330 mm, 13" height range display tilts +5 / -75° forward back display rotates 90° portrait/landscape display pans 360° right/left arm pivots 360° arm extends/retracts display (610 mm) weight capacity adjust to hold display between 3.22 - 9.1 kg (7-20 lbs) internal cable management routes cables neatly under arm
10.	27877 OXYGEN TANK SUPPORT (for codes 27885-93) Accessories for carts. Oxygen tank support.
11.	27878 PUSH-HANDLE (for codes 27885-93) Accessories for carts. Push-handle.
12.	27879 EXTRA SHELF - 50 x 50 cm (for codes 27885-93) Accessories for carts. Extra shelf 50 x 50 cm.
13.	27440 EXCEL TROLLEY - 3 shelves EXCEL TROLLEY 3 shelves (60 x 45 cm) Produced without upstands at four sides for an easier cleaning. Delivered in kit form. Made in Italy Technical Specifications
	 Size: 60 x 45 x h 78 cm Capacity: 80 kg Castors Ø 100 mm, 2 with brake

14.	
	27441 EXCEL TROLLEY - 4 shelves
	EXCEL TROLLEY 4 shelves (60 x 45 cm)
	Produced without upstands at four sides for an easier cleaning. Delivered in kit form.
	Made in Italy
	Technical Specifications
	• Size: 60 x 45 x h 110 cm
	Capacity: 80 kg
	Castors Ø 100 mm, 2 with brake
15.	27864 DIATERMO CART – medium
	Trolley designed to hold and carry electrosurgical units (including Argo units). ergonomics has beeen particulary considered for the design, for example the height of 900 mm with inclined top shelf allows easy reading of the unit's display. the trolley is provided with a second shelf with antiskid raised edges, two drawers placed at the base and a rear space with securing straps to hold to Argon cylinders. the upright stands holding the shelves are designed to take possible optional accessories. All the trolley parts are made of epoxy-painted, tempered steel and aluminium. Available version with 4 socket group, fuses box, independent grounding plug, power cable 3 m.
	Technical Specifications
	• Load capacity:
	- total load: 200 kg
	- shelf: 50 kg
	• Inclined shelf: 42 x 45 cm
16	• Drawers and shelf: 42 x 31 cm
16.	
	27865 DIATERMO CART – large
	Trolley designed to hold and carry electrosurgical units (including Argon units). Ergonomics has beeen
	particulary considered for the design, for example the height of 900 mm with inclined top shelf allows easy
	reading of the unit's display. the trolley is provided with a second shelf with antiskid raised edges, two drawers placed at the base and a rear space with securing straps to hold to Argon cylinders. The upright stands holding the shelves are designed to take possible optional accessories. All the trolley parts are made of epoxy-painted, tempered steel and aluminium. Available version with 4 socket group, fuses box, independent
	grounding plug, power cable 3 m.
	Technical Specifications
	Load capacity: tatal leads 200 kg
	- total load: 200 kg

	- shelf: 50 kg
	• Inclined shelf: 50 x 50 cm
	• Drawers and shelf: 50 x 36 cm
17.	
	27866 DIATERMO CART P - with power – medium Trolley designed to hold and carry electrosurgical units (including Argon units). Ergonomics has been particulary considered for the design, for example the height of 900 mm with inclined top shelf allows easy reading of the unit's display. the trolley is provided with a second shelf with antiskid raised edges, two drawers placed at the base and a rear space with securing straps to hold to Argon cylinders. The upright stands holding the shelves are designed to take possible optional accessories. All the trolley parts are made of epoxy-painted, tempered steel and aluminium. Available version with 4 socket group, fuses box, independent grounding plug, power cable 3 m.
	Technical Specifications • Load capacity: - total load: 200 kg - shelf: 50 kg • Inclined shelf: 42 x 45 cm • Drawers and shelf: 42 x 31 cm
18.	27867 DIATERMO CART P - with power – large Trolley designed to hold and carry electrosurgical units (including Argon units). Ergonomics has been particulary considered for the design, for example the height of 900 mm with inclined top shelf allows easy reading of the unit's display. the trolley is provided with a second shelf with antiskid raised edges, two drawers placed at the base and a rear space with securing straps to hold to Argon cylinders. The upright
	 stands holding the shelves are designed to take possible optional accessories. All the trolley parts are made of epoxy-painted, tempered steel and aluminium. Available version with 4 socket group, fuses box, independent grounding plug, power cable 3 m. Technical Specifications Load capacity: total load: 200 kg shelf: 50 kg Inclined shelf: 50 x 50 cm Drawers and shelf: 50 x 36 cm
19.	
	27870 SUPER EASY CART WITH HANDLE - 1 shelf A new stylish and quality cart you can built depending on your need. Multifunctional cart with 1 handle and 1 shelf 32 x 26 cm.



22.	PRIEDAI
	27872 EXTRA SHELF - 32 x 26 cm Accessories for Super Easy carts. Extra shelf 32 x 26 cm for codes 27869/70
23.	
	27873 BASKET (for codes 27869/71/80/97) Accessories for carts. Basket.
24.	
	27874 INFUSION STAND (for codes 27869/71/80/97) Accessories for carts. Infusion stand.
25.	
	27875 EXTRA SHELF - 40 x 36 cm (for codes 27871) Accessories for Super Easy and Easy carts. Extra shelf 40 x 36 cm.
26.	 27895 SMART CART - 3 shelves Smart cart - h 80 cm - grey/white RAL 7035 - 3 wide sturdy shelves (40x36 cm) - 4 castors Ø 80 mm (2 with brake) - Aluminium structure - Shelves made with coat of paint sheets - Wheel load: dynamic charge: 70 kg, static: 140 kg

