

## LIGONINĖS LOVOS

1.	 A side-view photograph of a WERSA Ligoninės lova hospital bed. The bed features a light-colored metal frame with a blue headboard and footboard. It has a central support arm with a handle and a small storage tray. The bed is on four casters.
	<p><b><u>WERSA Ligoninės lova</u></b></p> <p>Total length, mm 2160 Total width, mm 970 Total bed length (with mattress), mm 2000 Total bed width (with mattress), mm 850 Recommended dimensions of the mattress (width x length x height), mm 850x2000x100, 800x2000x100 Pallet's height max (without mattress), mm 830 Pallet's height min, mm 430 Trendelenburg position, (degrees) ° 20 Reverse trendelenburg position, (degrees) ° 20 Back rest segment inclination angle up, (degrees) ° 70 Thigh rest segment inclination angle up, (degrees) ° 35 Thigh rest segment inclination shank up, (degrees) ° 20 Back rest autoregress, mm 110 Permissible load, kg 250 Castor's diameter, mm 125</p>
2.	 A side-view photograph of an LP-01.4 Ligoninės lova hospital bed. This model appears to be a simplified version with a basic metal frame, a single vertical support arm, and a different headboard/footboard design. It is also on four casters.

	<p>Thigh rest segment inclination angle up, (degrees) ° 36      Thigh rest segment inclination shank up, (degrees) ° 20      Back rest autoregress, mm 110      Permissible load, kg 200      Castor's diameter, mm 125</p>
3.	 <p></p> <p><b>LP-01.3 Ligoninės lova</b></p> <p>Total length, mm 2160      Total width, mm 970      Total bed length (with mattress), mm 2000      Total bed width (with mattress), mm 850      Recommended dimensions of the mattress (width x length x height), mm 850x2000x100, 800x2000x100      Pallet height, mm 500      Back rest angle inclination, (degrees) ° 70      Back rest autoregress, mm 110      Permissible load, kg 200      Castor's diameter, mm 125</p>
4.	 <p></p> <p><b>LP-01.2 Ligoninės lova</b></p> <p>Total length, mm 2160      Total width, mm 970      Total bed length (with mattress), mm 2000      Total bed width (with mattress), mm 850      Recommended dimensions of the mattress (width x length x height), mm 850x2000x100, 800x2000x100      Pallet height, mm 500      Back rest angle inclination, (degrees) ° 70      Permissible load, kg 200      Castor's diameter, mm 125</p>

**LIGONINĖS LOVŲ PRIEDAI**

<b>MODELIS</b>		<b>WERSA</b>	<b>LP-01.4</b>	<b>LP-01.3</b>	<b>LP-01.2</b>	<b>Pastaba</b>
1	Function anti and Trendelenburg and electrically controlled as standard	+	-	-	-	Įeina į lovos komplektaciją
2	Auto-regression.	+	+	+	-	Įeina į lovos komplektaciją
3	The tops of HPL.	+	+	+	+	Įeina į lovos komplektaciją
4	The tops of FUMA I and II.	+	+	+	+	
5	The tops of FUMA I and II.	+	+	+	+	
6	Set of chrome side rails-folding.	+	+	+	+	
7	Set of side rails painted-folding	+	+	+	+	
8	The grip-hand painted.	+	+	+	+	
9	Chrome hand grip.	+	+	+	+	
10	Tripod drip at the bedside	+	+	+	+	
11	The handle of the duck	+	+	+	+	
12	The handle of the urine potty.	+	+	+	+	
13	Urine bag hanger chrome.	+	+	+	+	
14	Slide-out shelf for bedding	+	+	+	+	
15	Bed extension (WERSA)	+	-	-	-	
16	The tops of a quick withdrawal	+	+	+	+	Įeina į lovos komplektaciją
17	Filling up of a segment of a bed with a removable net	+	+	+	+	Įeina į lovos komplektaciją
18	Filling up of a segment of a bed with a plate HPL- with a cassette RTG in a backrest	+	-	-	-	
19	The Central Control Panel	+	-	-	-	
20	Shelf for shoes and bag	-	+	+	+	